

# **SECTION 122000 – WINDOW TREATMENTS**

## **PART 1 - GENERAL**

### **1.1 RELATED SECTIONS:**

Refer to Section 085000 for requirements regarding windows.

### **1.2 SCOPE:**

Section includes curtains, draperies, hardware, and controls. Horizontal and vertical louver blinds, shades, and shutters shall meet specifications of the North Carolina State Purchasing and Contract Office.

### **1.3 SUBMITTALS:**

Provide color charts showing full range of colors and finishes available and samples of actual components used for material and color verification.

### **1.4 VERTICAL BLINDS:**

Blinds will not be placed in hallways and stairwells.

### **1.5 SPARE PARTS:**

Furnish 5 per cent of each color, size, and type of installed product with a minimum of one unit, packaged with protective covering for storage, and identified with labels describing contents.

### **1.6 DELIVERY, STORAGE, AND HANDLING:**

Furniture and accessories provided by the project shall be delivered, unpacked (packing material disposed of), assembled, and placed in its final location.

East Carolina University Construction Standards	Date of Issue: 01/31/01 Supersedes: NA	Section 122000 Page: 1 of 2
--	---	--------------------------------

## **SECTION 122000 – WINDOW TREATMENTS**

### **PART 2 - PRODUCTS**

#### **2.1 WINDOW TREATMENT HARDWARE:**

A. **PULLEY MOUNT:**

Wall or baseboard.

B. **FINISH:**

White baked enamel or clear anodized.

#### **2.2 MOTORIZED OPERATING SYSTEMS CONTROLS:**

Wall Switch.

#### **2.3 FABRICATION:**

Where draperies are not set into openings, but are to be installed continuously across the face of windows or walls, fabricate so that ends occur only over vertical mullions of other definite vertical lines and at corners.

END OF SECTION

East Carolina University Construction Standards	Date of Issue: 01/31/01 Supersedes: NA	Section 122000 Page: 2 of 2
--	---	--------------------------------